Fleš DD, Hace D, Ranogajec F, Vuković R, Fleš D: The application of Taft-Hancock steric constants to the free-radical initiated copolymerization of *N*-alkylmaleimides with α-methylstyrene 445
Fleš DD, Golja G, Hace D, Vuković R, Fleš D: The extraction of sodium and potassium picrates with poly[(benzo-15-crown-5)maleimide], poly[(benzo-15-crown-5)maleimide-alt-α-methylstyrene] and benzo-15-crown-5 425
Fujity M see Yamada B
Fujiwara H, Kikyu T, Nanbu H, Honda T: Mechanochemical block copolymerization in heterogeneous systems of the solid poly(vinyl chloride) with styrene by ultrasonic irradiation. II. Effect of several forms of suspension polymerized poly(vinyl chloride) particles 317

Gamboa AC, Sáez AE, Müller AJ: Flow of solutions of hydroxypropyl guar - poly(ethylene oxide) mixtures through a porous medium 717
Gérard JF see Maazouz A
Gibson VC see Coles MP
Girardon V, Tessier M, Maréchal E: *N*-Chlorination of aliphatic oligoamides and polyamides by *tert*-butyl hypochlorite in organic medium 657
Girault JP see Cammas S
Golja G see Fleš DD
Gomes AS see Rueda JC
Gómez MA see Pino J del
Gordon B III see Bucca D
Grigorescu G see Ioan S
Grijpma DW see Joziasse CAP
Guérin P see Cammas S
Guo H, Tapsak MA, Weber WP: Ruthenium catalyzed chemical modification of unsaturated polymers 417
Guyot A see Hamaide T

Haack V, Klemm E: Polymers with iodonium salt structure in the side chain 289
Hace D see Fleš DD
Hamaide T, Zicmanis A, Monnet C, Guyot A: Synthesis and NMR characterization of new poly(ethoxyalkyl) maleates. Surfactants for emulsion polymerization 133
Hamerton I see Barton JM
Häussler L see Rillich M
Hazer B: Preparation of polystyrene poly(β-hydroxy nonanoate) graft copolymers 431
Hepuzer Y see Yağci Y
Higashimura T see Kouzai H
Hinrichsen G see Boro I
Hinrichsen G see Hoffmann A
Hodgkin JH see Min BG
Hoffmann A, Kreuzberger S, Hinrichsen G: Influence of thermal degradation on tensile strength and Young's modulus of poly(hydroxybutyrate) 355
Honda T see Fujiwara H
Howlin BJ see Barton JM
Hradil J see Trochimczuk A
Hsieh PJ see Hsiue GH
Hsiue GH, Hsieh PJ, Wu SL, Hsu CS: Synthesis and X-ray diffraction of ferroelectric liquid crystalline polysiloxanes containing 4'-(2-chloro-3-methylpentanoyloxy)-4-alkanyloxybiphenyl side groups 159
Hsu CS see Hsiue GH
Hu AT see Wang MS
Huang SS see Yeh JT

Inagaki N, Tasaka S, Abe H: Adsorption of carbon dioxide in plasma polymers prepared from silicon compounds and carbon dioxide separation membrane 709
Ioan C see Ioan S
Ioan S, Grigorescu G, Ioan C, Simionescu BC: Excluded volume effect in polyacrylonitrile solutions 119
Ishida SI see Yamagishi TA

Jandt KD, Miles MJ, Petermann J, Thomson NH: STM investigation of an alkane-metal-system ($C_{32}H_{66}$/In) 687
Jeong HM see Jeong SC
Jeong SC, Jeong HM, Oh MH, Kim BK: Miscibility of poly(styrene-co-acrylonitrile) with random copolymers of tetramethyl bisphenol-A polyarylate and tetrabromo bisphenol-A polyarylate 237
Jérôme R see Creutz S
Jérôme R see Vankan R
Jin GT see Yang WT
Jin S see Shi G
Jo WH, Lee MR, Min BG, Lee MS: Miscibility of poly(ether imide)/poly(ethylene terephthalate) blends 113
Jones JR see Barton JM
Jonquières A, Roizard D, Lochon P: Synthesis of a new styrene monomer: the 3-chloro-4-nitrostyrene. Free radical polymerization reactivity compared to 4-chloro-3-nitrostyrene 389
Joziasse CAP, Topp MDC, Veenstra H, Grijpma DW, Pennings AJ: Supertough poly(lactide)s 599

Kang IN, Lee GJ, Kim DH, Shim HK: Electrical and third-order nonlinear optical properties of poly(2-fluoro-1,4-phenylenevinylene) and its copolymers 89
Kataoka K see Kim YJ
Kato M see Kim YJ
Keller TM see Mera AE
Kennedy JP see Deák G
Kennedy JP see Pernecker T
Kennedy JP see Si J

Kikyu T see Fujiwara H
Kim YJ, Nagasaki Y, Kataoka K, Kato M, Yokoyama M, Okano T, Sakurai Y: Heterofunctional poly(ethylene oxide). One pot synthesis of poly(ethylene oxide) with a primary amino group at one end and a hydroxyl group at the other end 1
Kim BK see Jeong SC
Kim DH see Kang IN
Kim SD see Park SH
Kimoto T see Tsubokawa N
Klauber C see Saarloos PP van
Klemm E see Alhakimi G
Klemm E see Haack V
Kolarz BN see Trochimczuk A
Komber H see Rillich M
Korecz L see Rockenbauer A
Koßmehl G, Lundt B: Alkyloxy-substituted liquid-crystalline aromatic copolyesters. 3. Synthesis and properties of main chain copolyesters derived from 2,5-bis-(pentyloxy)-terephthaloyl dichloride and aromatic diols 497
Kouzai H, Masuda T, Higashimura T: Polymerization and polymer properties of (2-methyl-5-*tert*-butylphenyl)acetylene: steric effects of the ring substituents 301
Kreuzberger S see Hoffmann A
Krzystowczyk DH, Niu X, Wesson RD, Collier JR: A technique to measure the crystallinity of syndiotactic polystyrene using thermal analyses 109
Kubisa P see Yağci Y
Kyriakakou G see Siskos MG

Lee GJ see Kang IN
Lee JY: Synthesis and cationic polymerization of ethyl vinyl ethers containing the NLO-phores *p*-oxybenzylidenemalononitrile and *p*-oxybenzylidenecyanoacetate in the side chain 635
Lee HM see Yeh JT
Lee MR see Jo WH
Lee MS see Jo WH
Lee YM see Park CK
Li C see Shi G
Liu S see Barton JM
Lin YT see Yeh JT
Lochon P see Benjelloun A
Lochon P see Jonquières A
Lundt B see Koßmehl G

Maazouz A, Sautereau H, Gérard JF: Toughening of epoxy networks using pre-formed core-shell particles or reactive rubbers 67
Macko T see Fischer CH
Manolova N, Rashkov I, Van Damme H, Beguin F: Polyether-modified fullerenes 175
Marco C see Pino J del
Maréchal E see Girardon V
Masuda T see Kouzai H
Matsumoto A, Mizuta K: Radical polymerization behavior of 2-*tert*-butylcyclohexyl methacrylate 141
Maturana HA see Rivas BL
Mauler RS see Ambros von Holleben ML
Menezes SMC see Vilar WD
Mera AE, Keller TM: Cure studies and thermal stability of an acetylene-functionalized polyphenylene resin 103
Miles MJ see Jandt KD
Min BG see Jo WH
Min BG, Shin DK, Stachurski ZH, Hodgkin JH: A study of water absorption characteristics of DGEBA/DDS resin system using near infra-red spectroscopy 465
Minagawa T see Moriya K
Mizuta K see Matsumoto A
Monnet C see Hamaide T
Moriya K, Minagawa T, Yano S: Infrared spectroscopic studies of thermotropic polyamides 209
Moszner N, Salz U, Rheinberger V: Synthesis and polymerization of unsaturated derivatives of thymol 7
Moszner N, Zeuner F, Salz U, Rheinberger V: Reaction behaviour of monomeric β-ketoesters. 3. Polymerizable reaction products of 2-acetoacetoxyethyl methacrylate with aromatic isocyanates and aldehydes 43
Mülhaupt R see Berger M
Müller AJ see Gamboa AC

Nagasaki Y see Kim YJ
Naghash HJ see Okay O
Nakajima A see Oka M
Nakamoto Y see Yamagishi TA
Nanbu H see Fujiwara H
Ng C see Smith PF
Nguyen HA see Bui C
Nisman R see Smith PF
Niu X see Krzystowczyk DH

Oh BK see Park CK
Oh MH see Jeong SC
Oka M, Nakajima A: Conformational analysis of periodic polypeptides. II. Helical conformations of poly(Ala-Pro) 693
Okano T see Kim YJ
Okay O, Naghash HJ: Pendant vinyl group reactivity during the free-radical copolymerization of methyl methacrylate and ethylene glycol dimethacrylate 665
Önen A see Yağci Y
Otsu T see Yamada B

Palsule S, Cowie JMG: Miscibility in molecular composites of polyamide-imide/polyetherimide 241
Park CK, Oh BK, Choi MJ, Lee YM: Separation of benzene/cyclohexane by pervaporation through chelate poly(vinyl alcohol)/poly(allyl amine) blend membrane 591

Park SH, Kim SD: Plasma surface treatment of HDPE powder in a fluidized bed reactor 249
Pennings AJ see Joziasse CAP
Pennings AJ see Wiersma JA
Peña B see Pérez E
Pérez E, Peña B, Bello A: Real-time small-angle synchrotron study of the crystallization kinetics of isotactic poly(1-hexadecene) 451
Peric IM see Rivas BL
Pernecker T see Deák G
Pernecker T, Kennedy JP: Carbocationic polymerization in supercritical CO_2. II.Synthesis of *tert*-Cl terminated polyisobutylene by mixed Friedel-Crafts acids 13
Pernecker T, Kennedy JP: *Erratum:* The living carbocationic polymerization of isobutylene induced by the common ion effect 257
Petermann J see Jandt KD
Pino J del, Marco C, Ellis G, Gómez MA, Fatou JG: The influence of asymmetric lateral branching in the flexible spacer on the properties of a main-chain thermotropic liquid crystal polyester 505
Pizarro G del see Rivas BL
Pukánszky B see Rockenbauer A

Rabelo D, Coutinho FMB: Structure and properties of styrene-divinylbenzene copolymers. I. Pure solvents as pore forming agents 479
Rabelo D, Coutinho FMB: Structure and properties of styrene-divinylbenzene copolymers. II. Mixtures of different diluents with heptane as pore forming agents 487
Rabelo D, Coutinho FMB: Structure and properties of styrene-divinylbenzene copolymers. III. Mixtures of different diluents with alcohols as pore forming agents 493
Ranogajec F see Fleš DD
Rashkov I see Manolova N
Renard I see Cammas S
Rheinberger V see Moszner N
Richtering W see Berger M
Rillich M, Häussler L, Komber H, Wittig F, Böhme F: Polymers containing formamidine groups. 2. Synthesis of polyformamidines derived from triethyl orthoformate and aromatic diamines 397
Rincón A, Contreras J R: Photodegradation of poly(methyl methacrylate)/bisphenol-A polycarbonate blends 541
Rindo K see Yasuda Y
Rivas BL, Maturana HA, Peric IM: Vinyl resins with retention properties for heavy metal ions 195
Rivas BL, Pizarro G del, Tagle LH: Thermal degradation of copolymers based on 2-substituted oxazolines and β-methylhydrogenitaconate 97
Rockenbauer A, Korecz L, Pukánszky B: Electron spin resonance investigation of filler orientation in compression and injection molded polypropylene based composites 585
Roizard D see Jonquières A
Rotstein NA see David DJ
Rueda JC, Gomes AS, Soares BG: Cationic polymerization of α-methylstyrene in liquid sulfur dioxide initiated by *p*-methoxybenzyl chloride 405

Saarloos PP van, Vernon CF, Chirila TV, Klauber C: An X-ray photoelectron spectroscopy study of poly(methyl methacrylate) surface modified by 193-nm laser radiation 331
Sáez AE see Gamboa AC
Sakamoto K see Yamada B
Sakurai T see Chujo Y
Sakurai Y see Kim YJ
Salgado EC see Cárdenas GT
Salz U see Moszner N
Sanchez M, Bennevault V, Deffieux A: Functionalizable polyurethane networks based on hydroxy-modified poly(chloroalkyl vinyl ether)s 59
Saraç AS, Erbil C, Ustamehmetoğlu B: Polypyrrole synthetized with oxidative cerium (IV) ions 535
Sautereau H see Maazouz A
Sekiguchi H see Bui C
Sena ME, Andrade CT: Effect of the reaction conditions on the properties of poly(4,4'-diphenylether-1,3,4-oxadiazole)s 439
Serhatli IE see Yağci Y
Shi G, Xue G, Li C, Jin S: Layered poly(naphthalene) films prepared by electrochemical polymerization 325
Shim HK see Kang IN
Shin DK see Min BG
Si J, Kennedy JP: Living carbocationic polymerization LXI. Narrow molecular weight distribution of polyisobutylenes prepared by esters and ketones as electron donors 651
Silva SM see Ambros von Holleben ML
Simionescu BC see Ioan S
Sincock TF see David DJ
Siskos MG, Kyriakakou G, Zarkadis AK: The polymerization of propargyl halides (Cl,Br) using $M(CO)_5PPh_3/R_xAlCl_{3-x}$ (M=Mo,W) as catalysts 295
Smith PF, Nisman R, Ng C, Vancso GJ: Anisotropic friction on lamellar crystals of polyethylene by lateral force microscopy 459
Soares BG see Rueda JC
Šomvársky J, Dušek K: Kinetic Monte-Carlo simulation of network formation. I. Simulation method 369
Šomvársky J, Dušek K: Kinetic Monte-Carlo simulation of network formation. II. Effect of system size 377
Stachurski ZH see Min BG
Stuart BH: A Fourier transform Raman study of water sorption by Nylon 6 681
Svec F see Trochimczuk A

Tagle LH see Rivas BL
Takizawa N see Chujo Y

Tani K see Yamagishi TA
Tapsak MA see Guo H
Tasaka S see Inagaki N
Tessier M see Girardon V
Teyssié P see Creutz S
Teyssié P see Vankan R
Thomson NH see Jandt KD
Topp MDC see Joziasse CAP
Trochimczuk A, Hradil J, Kolarz BN, Svec F: The amine modified acrylic copolymers as catalysts in the reaction of octylbromide with sodium cyanide 51
Trumbo DL: Preliminary analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(2-iodostyrene) 571
Trumbo DL: An analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(3-methyl-2-vinyl thiophene) 579
Trumbo DL: Attempted cationic polymerization of isosafrole 643
Trumbo DL: An analysis of the 300 MHz spectrum of poly(3-vinyl pyridine) 83
Trumbo DL: A preliminary analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(2-vinyl-5-methyl thiophene) 75
Tsibouklis J, Feast WJ: The synthesis and characterization of poly(paraphenyleneamino sulfone) 29
Tsubokawa N, Kimoto T, Endo T: Surface grafting of polymers onto ultrafine silica: Cationic polymerization initiated by oxoaminium perchlorate groups introduced onto ultrafine silica surface 187

Ustamehmetoğlu B see Saraç AS

Van Damme H see Manolova N
Vancso GJ see Smith PF
Vandooren C see Creutz S
Vankan R, Degrée P, Jérôme R, Teyssié P: Design of polymer blend rheology. III. Effect of maleic anhydride containing copolymers on the melt viscosity of polyamides 221
Vásquez-Torres H, Cruz-Ramos CA: Poly(vinylidene fluoride)/cellulose acetate-butyrate blends: Characterization by DSC, WAXS, and FTIR 673
Veenstra H see Joziasse CAP
Vemon CF see Saarloos PP van
Vilar WD, Menezes SMC, Akcelrud L: Characterization of hydroxyl-terminated polybutadiene. I. NMR analysis of hydroxylated end groups 557
Vilar WD, Menezes SMC, Akcelrud L: Characterization of hydroxyl-terminated polybutadiene. II. Determination of hydroxylated structures and a mechanistic approach for the polymerization 563
Vuković R see Fleš DD

Wang MS, Hu AT: Synthesis and photochromic properties of novel spirooxazine 275
Weber WP see Guo H
Wesson RD see Comeaux EJ
Wesson RD see Krzystowczyk DH
Wiersma JA, Bos M, Pennings AJ: High strength polymeth)acrylamide copolymer hydrogels 615
Wittig F see Rillich M
Wood AK see Yue M
Wu SL see Hsiue GH

Xue G see Shi G
Xue G: SERS evidence for existence of a critical concentration for polymer coil shrinking in poly(4-vinyl pyridine) solution 229

Yağci Y, Hepuzer Y, Önen A, Serhatli IE, Kubisa P, Biedron T: Photoactive polyepichlorohydrin. 1. Synthesis of polyepichlorohydrin with terminal benzoin groups by activated monomer polymerization 411
Yamada B, Fujity M, Sakamoto K, Otsu T: Spin trapping of propagating radicals with 2,4,6-tri-*tert*-butyl-1-nitrosobenzene in radical polymerization initiated with di-*tert*-butyl hyponitrite 309
Yamagishi TA, Tani K, Ishida SI, Nakamoto Y: Linear all-*ortho* oligomers of phenol-formaldehyd resins. II. Preparation and cation extraction properties of ester derivatives 281
Yang WT, Deng JY, Jin GT: A new gelation theory 733
Yano S see Moriya K
Yasuda Y, Rindo K, Aoki S: Polysoap-induced polymerization of methyl methacrylate and styrene by poly(sodium alkyl 2-hydroxy-3-methacryloyloxypropyl phosphate)s in water 167
Yeh JT, Chen BJ, Lee HM: Impact properties of carbon fiber reinforced linear and short-chain branched polyethylenes 607
Yeh JT, Lin YT, Huang SS: Fatigue-fracture mechanism of slowly notched poly(ethylene terephthalate) polymers 361
Yokoyama M see Kim YJ
Yue M, Wood AK: Pressure effects on temperature measurements of polymer melt 127

Zarkadis AK see Siskos MG
Zeuner F see Moszner N
Zicmanis A see Hamaide T

Indexed in *Current Contents*

Subject Index Volume 33 (1994)

Ablative photodecomposition 331
Acetoacetates 43
2-Acetoacetoxyethyl methacrylate 43
Acetylene-terminated resins 103
Acrylamide hydrogels 615
Acrylonitrile/butyl acrylate/divinylbenzene terpolymers 51
Additives 67
Alkane-metal-systems, STM 687
Alkyl acrylate/divinylbenzene copolymers 51
Alkyl methacrylates 141
N-Alkylmaleimides/α-methylstyrene 445
N-Alkyl-3-vinylpyridinium salts 513
4-Allylbenzocyclobutene 385
Antimicrobial activity 7
Aromatic diols 497
Artificial proteins 693

Benzene/cyclohexane 591
Benzo-15-crown-5 425
Benzocyclobutenes, synthetic polyolefins 385
Benzoin, photoinitiators 411
Benzyl alcohol 493
Biodegradable polyesters 355
- polymers 599
Bipolarons 89
2,5-Bis-(pentyloxy)-terephthaloyl dichloride 497
Bisphenol-A polycarbonate 541
Bispyrone/divinyl ether 183
Block copolymers 37
2-*tert*-Butylcyclohexyl methacrylate 141
p-*tert*-Butylphenol/formaldehyde resins 281

ε-Caprolactone 599
Carbocationic macromolecular engineering 21
Carbon fibers 607
Carbon dioxide, plasma polymers 709
- -, supercritical, carbocationic polymerization 259
Carbon-boron bonds 623
Carbon-carbon double bonds, hydrogenation 203
Carothers equation 733
Cellulose acetate-butylate/poly(vinylidene fluoride) 673
Chelating resin 195
Chlorination, polyamides/aliphatic oligoamides 657
4'-(2-Chloro-3-methylpentanoyloxy)-4-alkanyloxybiphenyl side groups, polysiloxane 159
4-Chloro-3-nitrostyrene 389
3-Chloro-4-nitrostyrene 389
Colloidal metals 629
Colloids 629
Complexation of macromolecules, small molecules 339
Composites, molecular 241
Conducting polymers 29
- -, conjugated 89
Copolyester, aromatic, alkoxy-substituted liquid-crystalline 497
Copper(II) sorption 195
Core-shell particles 67
Crack prpoagation 361
Crosslinking agents, benzocyclobutene 385
Crown ethers 425
Cure, degree of 215

Decamethylcyclopentasiloxane 709
Degradable rubbers 599
DGEBA/DDS, water absorption 465
Di-*tert*-butyl hyponitrite 309
Dianionic initiators 267
Dichloromethyl methyl ether 623
Diels-Alder cycloaddition, electron-demend 183
Dimethylacrylamide/isoprene/dimethylacrylamide 267
Dimethyldimethohoxysilane 709
4,4'-Diphenylether dicarboxylic acid 439
α,α'-Dipotassio-*m*-xylene, dianionic initiator 267
Disinfectants, thymol 7
Divinyl ether/bispyrone 183
Dotriacontane, STM 687

Emulsifier, emulsion polymerization, poly(styrene)-block-poly(ethyleneoxide) 521
Emulsion polymerization 133
EPDM bulk modification, controlled degradation 549
Epichlorohydrin 411
Epoxy cure, high temperature ^{1}H NMR 215
- curing agent 347
- networks, toughening 67
- resins, water resistance 465
Esterification of acids 445
Ethoxyalkyl maleates 133
Ethyl α-chloroacrylate 309
Ethyl vinyl ethers 635
Ethylene glycol dimethacrylate/methyl methacrylate 665
Ethylene polymerization catalysts 529

Fatigue fracture behavior 361
Ferroelectric liquid crystals 159
Filler particles, polymer composites, ESR 585
Flexible polymers 717
Formamide groups 397
Frictional forces 459
Fullerenes, polyether-modified 175
α-Furyllithium 623
Fusion characteristics, PVC compounds 701

Gelation theory 733

Haake Torque Rheometer 701
HDPE powder, plasma surface treatment 249
Heteroaromatic polymers 439
1-Hexadecyl-3-vinylpyridinium bromide 513
High-temperature polymers 97
Hildebrand solubility 479, 487
Hydroboration polymerization 623
Hydrogels 615
Hydroxypropyl guar/poly(ethylene oxide) 717

Iodonium salt, polymer-bound 289
Isoamyl alcohol 493
Isobutylene, electron donors 651
-, supercritical carbon dioxide 13, 259
(2-Isopropyl-5-methylphenol 7
2-Isopropyl-5-methylphenyl methacrylate 7
Isosafrole, cationic polymerization 643

ß-Ketoesters, monomeric 43

Lateral Force Microscopy (LFM) 459
Limonene 203
Liquiflex 563

Macroporous network polymers 479, 487
Main-chain liquid crystalline polymers 505
Maleic anhydride 133
- - containing copolymers 221
Melt viscosity 221
Membrane, blend 591
Metal colloids 629
Metal-chelate curing agents, storage stability 347
Metal poly(4-methylstyrene)s/AIBN 629
Metallocene-based polymerization 529
Methacrylamide hydrogels 615
p-Methoxybenzyl chloride 405
Methyl methacrylate/ethylene glycol dimethacrylate 665
Methylalumoxane (MAO) 529
(2-Methyl-5-*tert*-butylphenyl)acetylene 301
[1,2-Methylenedioxy)-4-propenyl benzene] 643
5-Methylfurfural 471
5-Methyl-1,4-hexadiene 385
ß-Methylhydrogenitaconate 97
7-Methyl-1,6-octadiene 385
α-Methylol benzoinmethylether 411
α-Methylstyrene, liquid sulfur dioxide 405
-/*N*-alkylmaleimides 445
4-Methylstyrene colloids 629
Miscibility behavior, polymer blends 237
- parameter 725
Monte-Carlo simulation, network formation 369, 377
Mulching films, agriculture 355

Network formation, kinetic Monte-Carlo 369, 377
Nitrohalogenoaromatic pendant group 389
NLO-phores 635
Nonlinear optical (NLO) activity 635
Nylon 6, Fourier transform Raman/water sorption 681

Octylbromide, sodium cyanide 51
Oligoamides, aliphatic/polyamides, *N*-chlorination 657
Oligoperoxides 431
Organoboron polymers 623
Oxazolines, 2-substituted 97
Oxoaminium perchlorate 187
p-Oxybenzylidenecyanoacetate 635
p-Oxybenzylidenemalononitrile/NLO-phores 635

Phase transfer catalysis, polymer supported 51
Phenol-formaldehyde resins, linear all-*ortho*-oligomers 281
Phenols, alkylated/chlorinated 7
Phenylacetylene 301
Photochromic organic compounds 275
Photodecomposition, ablative 331
Photodegradation, poly(methyl methacrylate)/bisphenol-A polycarbonate 541
Piperazine diacrylamide 615
Plasma polymerization 709
- treatment 249
Plasticizer 725
Polarons 89
Poly(α-amino acid)s 37
Poly(2-fluoro-1,4-phenylenevinylene), nonlinear optical properties 89
Poly(acrylamide), hydrophilic 195
Poly(alcohol)s 623
Poly(chloroethyl vinyl ether)s, hydroxy-modified 59
Poly(4,4'-diphenylether-1,3,4-oxadiazole)s 439
Poly(ether imide)/poly(ethylene terephthalate) 113
Poly(ethoxyalkyl) maleates 133
Poly(ethylene oxide), heterobifunctional 1
-/hydroxypropyl guar 717
Poly(ethylene terephthalate), slowly notched 361
-/poly(ether imide) 113
Poly(2,5-furandiylvinylene), electrical conductivity 471
Poly(1-hexadecene), isotactic 451
Poly(hydroxybutyrate), Young's modulus, tensile strength 355
Poly(2-iodostyrene), NMR 571
Poly(L-lactide-co-ε-caprolactone) 599
Poly(lactic acid) 599
Poly(lactide)s, supertough 599
Poly(meth)acrylamide copolymer hydrogels 615
Poly(methyl methacrylate), 193-nm laser radiation 331
Poly(methyl methacrylate)/bisphenol-A polycarbonate, photodegradation 541
Poly(methylhydrogen siloxane) 159
Poly(2-methylpropene)-b-poly(α-amino acid) 37
Poly(3-methyl-2-vinyl thiophene), NMR 579

Poly(naphthalene), layered, electrochemical polymerization 325
Poly(paraphenyleneaminosulfone) 29
Poly(peptide)s 37
Poly(phenylacetylene) 301
Poly(ß-3-methylmalic acid) 149
Poly(ß-hydroxy nonanoate)/polystyrene 431
Poly(ß-methylhydrogenitaconate-co-2-methyl-2-oxazoline) 97
Poly(1,3,4-oxadiazole)s 439
Poly(sodium alkyl 2-hydroxy-3-methacryloyloxypropyl phosphate)s 167
Poly(styrene-block-poly(ethyleneoxide), emulsifier, emulsion polymerization 521
Poly(styrene-co-acrylonitrile) 237
Poly(vinyl alcohol)/poly(allyl amine) blend membrane 591
Poly(vinyl butyral) 725
Poly(vinyl chloride) 725
-/styrene, ultrasonic irradiation 317
Poly(2-vinyl-5-methyl thiophene, NMR 75
Poly(3-vinyl pyridine), 300 MHz spectrum 83
Poly(4-vinyl pyridine) solution 229
Poly(vinylidene fluoride)/cellulose acetate-butylate 673
Polyacrylonitrile solutions, excluded volume effect 119
Polyamide-imide/polyetherimide, miscibility 241
Polyamides, melt viscosity 221
-, thermotropic 209
Polyamides/aliphatic oligoamides, *N*-chlorination 657
Polybenzimidazole 113
Polybutadiene, hydroxyl-terminated 557, 563
Polycarbosilanes, Si-vinyl groups 417
Polycondensation, trifunctional monomer 377
Polyepichlorohydrin, photoactive 411
Polyesters, degradable functional 149
-, main-chain thermotropic liquid crystal 505
-, microbiallly produced 355
-, new 183
Polyethyl vinyl ether cations, polystyryllithium anions 21
Polyethylene, anisotropic friction, lamellar crystals 459
-, linear high density (HDPE) 607
-, short-chain branched (SBPE) 607
Polyethylenes, short-chain branched, carbon fiber reinforced 607
Polyformamidines, aromatic diamines 397
Polyhydrazides 439
Polyimide 113
Polyisobutylene, *tert*-Cl terminated 13
Polyisobutylenes, esters/ketones 651
-, living carbocationic polymerization 651
Polymer melt, pressure effects, temperature measurements 127
- radicals 309
Polymer-metal complexes 195
Polymer-plasticizer compatibility 725
Polypeptides, periodic, poly(ala-pro) 693
Polyphenylene resin, acetylene-functionalized 103
Polypropylene based composites, ESR 585
Polypyrrole, oxidative cerium(IV) ions 535
Polysiloxanes, ferroelectric liquid crystalline 159
-, unsaturated 417
Polysoap-induced polymerization 167
Polystyrene, syndiotactic 109
-/poly(ß-hydroxy nonanoate) 431
Polystyryllithium anions, polyethyl vinyl ether cations 21
Polyurethane networks 59
Polyvinyl chloride, fusion study 701
Poly[(benzo-15-crown-5)maleimide] 425
Poly[(benzo-15-crown-5)maleimide-alt-α-methylstyrene] 425
Poly[(*o*-methylphenyl)acetylene] 301
Potassium picrates 425
Powder surface 187
Preservatives, thymol 7
Propargyl halides (Cl,Br), transition metals 295
Proteins, artificial 693
2-Pyrones 183

Resins, carboxylic pendant groups 195
Rheology, polymer blend 221
Rigid rod liquid crystalline polymers 497

Semi-conducting polymers 89
Separation membrane, carbon dioxide 709
SERS 229
Silica surface, ultrafine 187
Size exclusion chromatography, complexation equilibria, macromolecules 339
Smoluchowski equation 369
Sodium picrates 425
Solubility parameter, three-dimensional 479, 487, 493
Spirooxazine, novel 275
Stereogenic centers 149
Styrene/butadiene rubber, hydrogenation 203
-/divinylbenzene, pore forming agents 479, 487, 493
p-Styrenesulfonate 7
Super engineering plastics 113
Surface grafting, ultrafine silica 187
Surfactants, reactive 133
Syndiotactic polystyrene 109

Taft-Hancock steric constants 445
Tetrabromo bisphenol-A polyarylate 237
Tetramethyl bisphenol-A polyarylate 237
Thermooxidative stability 103
Thermoplastics 607
-, temperature of polymer melt 127
Thymol, unsaturated derivatives 7
Toughness, fracture 67
Transition metal catalyzed reactions 417
- - imido precursors 529

2,4,6-Tri-*tert*-butyl-1-nitrosobenzene 309
Triethyl orthoformate, aromatic diamines 397
4,7,10-Trioxa-1,13-tridecanediamine diacrylamide 615

Unsaturated polymers, ruthenium catalyzed 417

Vinyl polymerization, photoinitiators 411
3-Vinyl pyridine 83
Vinyl resins, heavy metal ions 195
Vinylheterocycles 579
2-Vinyl-5-methyl thiophene 75
3-Vinylpyridine 513
Von Mises criterion 67

Water resistance, epoxy resins 465

X-ray photoelectron spectroscopy 331